

Overview for ThinkCentre Tiny-In-One Super-Multi Burner (4XB0G69279)

ThinkCentre Tiny-in-One Super-Multi Burner supports ThinkCentre Tiny-in-One system, this Super Multi Burner has one box with two hooks to support the easy assembly into Tiny-in-One system.

This drive supports all formats released by the DVD Forum and DVD+RW Alliance, including DVD-RAM, DVD-R, DVD-R dual layer, DVD-RW, DVD+R, DVD+R double layer, and DVD+RW media. The drive also supports CD-R and CD-RW media.

TECHNICAL INFORMATION

Port:

- USB2.0 High Speed

Power consumption:

- Max power: 5V/1.65A
- Continue Read/Write: 5V/1A
- Standby Power: 5V/50mA

OPERATING ENVIRONMENT

- Temperature: 5 to 45 deg C (41 to 113 deg F)
- Relative humidity: 15%~80% max
- Storage Temperature: -30 to 60 deg (C)

Access time

- DVD-ROM 160mS
- DVD-Ram: 260mS
- CD-ROM: 140mS

Write Speed

- DVD-R 8x CAV
- DVD-R DL 6x PCAV
- DVD-RW 6x ZCLV
- DVD-RAM 5x PCAV
- DVD+R 8x CAV
- DVD+R(M-Disc) 4x PCAV
- DVD+R DL 6x PCAV
- DVD+RW 8x ZCLV
- CD-R 16x ZCLV
- CD-RW: 16x ZCLV

Read Speed

- DVD-R/RW/ROM 8x
- DVD-R DL 8x
- DVD-RAM 5x
- DVD-Video 8x
- DVD+R/+RW 8x
- DVD+R DL 8x
- CD-R/RW/ROM 24x
- CD-DA(DAE) 20x

Sustained Transfer rate:

DVD-ROM: 11.8 Mbps

CD-ROM: 3,600 kB/s

PHYSICAL SPECIFICATIONS

- Approximate height: 23 mm (0.91 in)
 - Approximate width: 136.5 mm (5.37in)
 - Approximate length: 142.2 mm (5.60 in)
 - Approximate Weight: 315.0 g (0.69 lb)
-
- Full Packaging Size:
 - Approximate height: 72 mm (2.83 in)
 - Approximate width: 189 mm (7.44 in)
 - Approximate depth: 205 mm (8.07 in)
 - Approximate weight: 506 g (1.115 lb)

AGENCY APPROVALS

Any agency approvals and certifications

- BSMI
- CE
- RCM
- VCCI
- KCC
- RoHS
- FCC
- ICES

PACKAGING:

Brown Box

SHIPMENT GROUP

- ThinkCentre Tiny-In-One Super-Multi Burner
- Warranty Poster
- Userguide and driver CD
- Safety Guide

CHARGES - FRU PARTS

Field Replaceable Units (FRU)

Description	FRU Part #	Option Part #	H S
-----	-----	-----	- -
ThinkCentre Tiny-In-One Super-multi Burner	00KT150	4XB0G69279	R 4